

Press TAB to move to input areas. Press UP or DOWN ARROW in column A to read through the document.

Energy Consumption and Greenhouse Gas Emissions Reporting - for 2011

Confirm consecutive 12-month period (month-year to month-year) Sept/2011 - Aug/2012

Type of Public Agency (Sector): School Board Please fill in the mandatory fields indicated in red, in addition to submitting data on your energy usage.

Agency Sub-sector: School Board

Organization Name: Peel District School Board

Operation Name and/or Unique Identifier	Operation Type	Address	City	Postal Code	Total Floor Area of the Indoor Space in which Operation is Conducted	Average # Hours Per Week	Swimming Pool (Y/N)	Number of Portables	Energy Type and Amount Purchased and Consumed in Natural Units			Total		
									Electricity	Natural Gas	Fuel Oil 1 & 2	GHG Emissions (Kg)	Energy Intensity (ekWh/sqft)	Energy Intensity (GJ/m2)
Agnes Taylor PS	School	80 Beech St.	Brampton	L6V 1V6	52,434.01 Square Feet		FALSE	3.00	291,585 kWh	74,437 Cubic meter	0 Litre	169,320	20.65	0.0743
Allan A Martin Sr PS	School	1390 Ogden Avenue	Mississauga	L5E 2H8	52,786.22 Square Feet		FALSE	2.00	277,927 kWh	117,063 Cubic meter	0 Litre	248,571	28.83	0.1038
Allan Drive Middle School	School	254 Allan Drive	Bolton	L7E 1R9	67,295.97 Square Feet		FALSE	1.00	395,692 kWh	43,634 Cubic meter	0 Litre	121,289	12.77	0.0460
Alloa PS	School	1248 Mayfield Road W.	Caledon	L7C 0Y7	24,955.03 Square Feet		FALSE	4.00	455,727 kWh	0 Cubic meter	0 Litre	44,679	18.26	0.0657
Aloma Crescent PS	School	57 Aloma Crescent	Brampton	L6T 2N8	29,127.14 Square Feet		FALSE	1.00	210,041 kWh	75,243 Cubic meter	0 Litre	162,849	34.67	0.1248
Alton PS	School	19657 Main Street	Caledon	L7K 0E1	11,880.64 Square Feet		FALSE	5.00	105,000 kWh	12,413 Cubic meter	0 Litre	33,762	19.94	0.0718
Applewood Heights SS	School	945 Bloor Street E.	Mississauga	L4Y 2M8	164,128.11 Square Feet		FALSE		747,860 kWh	188,818 Cubic meter	0 Litre	430,305	16.78	0.0604
Arnott Charlton	School	140 Winterfold Drive	Brampton	L6V 3V8	67,909.51 Square Feet		FALSE		454,606 kWh	58,724 Cubic meter	0 Litre	155,594	15.88	0.0572
Artesian Drive P.S.	School	3325 Artesian Drive	Mississauga	L5M 7J8	59,212.27 Square Feet		FALSE		321,882 kWh	46,362 Cubic meter	0 Litre	119,211	13.76	0.0495
Ashgrove PS	School	3215 Thorncrest Drive	Mississauga	L5L 4K7	33,443.47 Square Feet		FALSE		386,160 kWh	50,718 Cubic meter	0 Litre	133,749	27.66	0.0996
Balmoral Drive Sr PS	School	233 Balmoral Drive	Brampton	L6T 1V5	65,024.78 Square Feet		FALSE		383,400 kWh	96,034 Cubic meter	0 Litre	219,152	21.59	0.0777
Barondale P.S.	School	200 Barondale Drive	Mississauga	L4Z 3N7	54,497.68 Square Feet		FALSE		304,742 kWh	68,919 Cubic meter	0 Litre	160,176	19.03	0.0685
Beatty-Fleming Sr PS	School	21 Campbell Drive	Brampton	L6X 2H6	64,981.73 Square Feet		FALSE		327,989 kWh	95,687 Cubic meter	0 Litre	213,065	20.70	0.0745
Belfountain PS	School	17247 Shaws Creek Road	Orangeville	L7K 0E8	16,124.86 Square Feet		FALSE		230,212 kWh	0 Cubic meter	0 Litre	22,570	14.28	0.0514
Birchbank PS	School	52 Birchbank Road	Brampton	L6T 1L7	40,440.01 Square Feet		FALSE		148,560 kWh	53,006 Cubic meter	0 Litre	114,780	17.60	0.0634
Bramalea SS	School	510 Balmoral Drive	Brampton	L6T 1W4	179,704.53 Square Feet		FALSE	4.00	1,365,840 kWh	318,929 Cubic meter	0 Litre	736,884	26.46	0.0953
Brampton Centennial SS	School	251 McMurphy Avenue S.	Brampton	L6Y 1Z4	208,774.09 Square Feet		FALSE	5.00	1,603,342 kWh	192,813 Cubic meter	0 Litre	521,728	17.50	0.0630
Brandon Gate PS	School	3800 Brandon Gate Drive	Mississauga	L4T 3V9	43,184.81 Square Feet		FALSE		239,805 kWh	38,836 Cubic meter	0 Litre	96,934	15.11	0.0544
Brian W. Fleming PS	School	3255 Havenwood Drive	Mississauga	L4X 2M2	80,255.72 Square Feet		FALSE	3.00	402,092 kWh	103,137 Cubic meter	0 Litre	234,416	18.67	0.0672
Briarwood PS	School	1065 Mississauga Valley B	Mississauga	L5A 2A1	44,896.27 Square Feet		FALSE		363,503 kWh	39,881 Cubic meter	0 Litre	111,039	17.54	0.0631
Brisdale P.S.	School	370 Brisdale Drive	Brampton	L7A 3K7	75,627.76 Square Feet		FALSE		546,600 kWh	86,310 Cubic meter	0 Litre	216,768	19.36	0.0697
Bristol Road Middle School	School	210 Bristol Road	Mississauga	L4Z 3V5	68,074.72 Square Feet		FALSE	2.00	457,674 kWh	48,233 Cubic meter	0 Litre	136,062	14.25	0.0513
Britannia Adult Education Centre & BARN	School	100 Elm Drive	Mississauga	L5B 1L9	101,648.40 Square Feet		FALSE	7.00	646,251 kWh	118,004 Cubic meter	0 Litre	286,460	18.70	0.0673
Britannia DUNTON House (Farm Field)	School	5490 Hurontario St.	Mississauga	L5R 1B3	4,400.00 Square Feet		FALSE		2,290 kWh	0 Cubic meter	0 Litre	225	0.52	0.0019
Britannia School House	School	5520 Hurontario St.	Mississauga	L5R 1B3	2,500.00 Square Feet		FALSE		26,200 kWh	0 Cubic meter	0 Litre	2,569	10.48	0.0377
Britannia P.S.	School	5576 Hurontario St.	Mississauga	L5R 1C6	5,576.00 Square Feet		FALSE		475,770 kWh	92,633 Cubic meter	0 Litre	221,780	261.88	0.9428
Britannia P.S.	School	1135 Swinbourne Drive	Mississauga	L5V 1C2	83,191.02 Square Feet		FALSE		514,440 kWh	95,222 Cubic meter	0 Litre	230,466	18.35	0.0661
Brookmede PS	School	2250 Council Ring Road	Mississauga	L5L 1B7	40,762.93 Square Feet		FALSE		330,999 kWh	57,696 Cubic meter	0 Litre	141,533	23.16	0.0834
Burnhamthorpe PS	School	3465 Golden Orchard Drive	Mississauga	L4Y 3H7	51,427.25 Square Feet		FALSE	7.00	418,489 kWh	70,494 Cubic meter	0 Litre	174,306	22.71	0.0817
Burnt Elm P.S.	School	85 Burnt Elm Drive	Brampton	L7A 1T8	81,583.96 Square Feet		FALSE		486,300 kWh	106,517 Cubic meter	0 Litre	249,061	19.84	0.0714
Calderstone M.S.	School	160 Calderstone Road	Brampton	L6P 2L7	79,203.99 Square Feet		FALSE	10.00	866,402 kWh	50,438 Cubic meter	0 Litre	180,301	17.71	0.0637
Caledon Central PS	School	18357 Kennedy Rd.	Caledon	L7K 1Y7	58,610.02 Square Feet		FALSE	3.00	366,775 kWh	100,364 Cubic meter	0 Litre	225,710	24.46	0.0880
Caledon East PS	School	15738 Airport Road	Caledon	L7C 2W8	32,177.09 Square Feet		FALSE	1.00	259,423 kWh	65,097 Cubic meter	0 Litre	148,507	29.56	0.1064
Camilla Road Sr PS	School	201 Cherry Post Road	Mississauga	L5A 1J1	85,990.15 Square Feet		FALSE	3.00	576,816 kWh	67,098 Cubic meter	0 Litre	183,408	15.00	0.0540
Carberry PS	School	526 Fernforest Drive	Brampton	L6R 0W1	69,405.69 Square Feet		FALSE		417,002 kWh	54,631 Cubic meter	0 Litre	144,169	14.37	0.0517
Cashmere Avenue PS	School	2455 Cashmere Avenue	Mississauga	L5B 2M7	39,514.84 Square Feet		FALSE	2.00	265,707 kWh	62,548 Cubic meter	0 Litre	144,306	23.55	0.0848
Castlebridge P.S.	School	2801 Castlebridge Drive	Mississauga	L5M 5J9	53,087.61 Square Feet		FALSE		301,307 kWh	61,899 Cubic meter	0 Litre	146,569	18.07	0.0650
Castlemore PS	School	9916 The Gore Rd.	Brampton	L6P 0A7	66,725.47 Square Feet		FALSE	20.00	784,799 kWh	73,427 Cubic meter	0 Litre	215,766	23.46	0.0844
Cawthra Park SS	School	1305 Cawthra Road	Mississauga	L5G 4L1	170,183.40 Square Feet		TRUE	8.00	1,618,372 kWh	333,235 Cubic meter	0 Litre	788,689	30.32	0.1092
Centennial Sr PS	School	50 Ladore Crescent	Brampton	L6Y 1V5	76,489.40 Square Feet		FALSE		504,597 kWh	74,011 Cubic meter	0 Litre	189,398	16.88	0.0608
Central Parkway Maintenance	Administrative office	933 Central Parkway	Mississauga	L5C 2T9	48,053.00 Square Feet		FALSE		628,320 kWh	74,988 Cubic meter	0 Litre	203,375	29.66	0.1068
Central Peel SS	School	32 Kennedy Road North	Brampton	L6V 1X4	183,403.54 Square Feet		FALSE	8.00	1,782,363 kWh	276,369 Cubic meter	0 Litre	697,254	25.73	0.0926
Champlain Trail PS	School	895 Ceremonial Road	Mississauga	L5R 3B5	72,667.68 Square Feet		FALSE	1.00	469,708 kWh	75,026 Cubic meter	0 Litre	187,897	17.44	0.0628
Cherrytree PS	School	155 Cherrytree Drive	Brampton	L6Y 3M9	59,177.26 Square Feet		FALSE	5.00	548,400 kWh	81,246 Cubic meter	0 Litre	207,371	23.86	0.0859

Press TAB to move to input areas. Press UP or DOWN ARROW in column A to read through the document.

Energy Consumption and Greenhouse Gas Emissions Reporting - for 2011

Confirm consecutive 12-month period (month-year to month-year) Sept/2011 - Aug/2012

Type of Public Agency (Sector): School Board Please fill in the mandatory fields indicated in red, in addition to submitting data on your energy usage.

Agency Sub-sector: School Board

Organization Name: Peel District School Board

Operation Name and/or Unique Identifier	Operation Type	Address	City	Postal Code	Total Floor Area of the Indoor Space in which Operation is Conducted	Average # Hours Per Week	Swimming Pool (Y/N)	Number of Portables	Energy Type and Amount Purchased and Consumed in Natural Units			Total		
									Electricity	Natural Gas	Fuel Oil 1 & 2	GHG Emissions (Kg)	Energy Intensity (ekWh/sqft)	Energy Intensity (GJ/m2)
Cheyne Middle School	School	236 Queen Mary Drive	Brampton	L7A 3L3	69,990.14 Square Feet		FALSE		754,080 kWh	73,829 Cubic meter	0 Litre	213,513	21.98	0.0791
Chinguacousy SS	School	1370 Williams Parkway	Brampton	L6S 1V3	174,888.69 Square Feet		FALSE	24.00	1,665,053 kWh	216,086 Cubic meter	0 Litre	571,781	22.65	0.0815
Churchill Meadows PS	School	3310 McDowell Drive	Mississauga	L5M 6R8	60,796.14 Square Feet		FALSE	8.00	585,403 kWh	51,473 Cubic meter	0 Litre	154,709	18.63	0.0671
Claireville P.S.	School	97 Gallucci Crescent	Brampton	L6P 1R6	70,721.51 Square Feet		FALSE	15.00	418,798 kWh	55,330 Cubic meter	0 Litre	145,667	14.24	0.0513
Clark Boulevard PS	School	201 Clark Boulevard	Brampton	L6T 2C9	50,840.04 Square Feet		FALSE	9.00	434,642 kWh	71,369 Cubic meter	0 Litre	177,545	23.47	0.0845
Clarkson Junior	School	888 Clarkson Road S.	Mississauga	L5J 2V3	24,240.33 Square Feet		FALSE		100,291 kWh	43,315 Cubic meter	0 Litre	91,725	23.13	0.0833
Clarkson SS	School	2524 Bromsgrove Road	Mississauga	L5J 1L8	181,877.80 Square Feet		TRUE		1,564,848 kWh	282,288 Cubic meter	0 Litre	687,118	25.10	0.0904
Clifton PS	School	2389 Cliff Road	Mississauga	L5A 2P1	31,850.41 Square Feet		FALSE	5.00	281,198 kWh	46,365 Cubic meter	0 Litre	115,227	24.30	0.0875
Conestoga PS	School	300 Conestoga Drive	Brampton	L6Z 3M1	55,384.60 Square Feet		FALSE	4.00	378,800 kWh	67,757 Cubic meter	0 Litre	165,240	19.84	0.0714
Cooksville Creek P.S.	School	5100 Salishan Circle	Mississauga	L5R 3E3	59,201.51 Square Feet		FALSE		232,589 kWh	53,472 Cubic meter	0 Litre	123,898	13.53	0.0487
Copeland PS	School	5 Young Drive	Brampton	L5R 3E3	59,255.33 Square Feet		FALSE	7.00	459,360 kWh	49,212 Cubic meter	0 Litre	138,077	16.58	0.0597
Corliss PS	School	3730 Corliss Crescent	Mississauga	L4T 2Z4	32,988.15 Square Feet		FALSE	2.00	194,651 kWh	53,899 Cubic meter	0 Litre	120,986	23.27	0.0838
Corsair PS	School	2230 Corsair Road	Mississauga	L5A 2L9	67,242.67 Square Feet		FALSE	9.00	488,017 kWh	71,203 Cubic meter	0 Litre	182,463	18.51	0.0666
Credit Valley PS	School	2365 Credit Valley Road	Mississauga	L5M 4E8	64,540.93 Square Feet		FALSE	3.00	506,190 kWh	82,749 Cubic meter	0 Litre	206,074	21.47	0.0773
Credit View PS	School	13990 Mississauga Road	Caledon	L7C 1W4	17,154.43 Square Feet		FALSE	2.00	120,250 kWh	0 Cubic meter	0 Litre	11,789	7.01	0.0252
Darcel Avenue Sr PS	School	7635 Darcel Avenue	Mississauga	L4T 2Y2	68,070.97 Square Feet		FALSE		422,719 kWh	77,964 Cubic meter	0 Litre	188,843	18.38	0.0662
David Leeder Middle School	School	6900 Gooderham Estate B	Mississauga	L5W 1B4	92,978.66 Square Feet		FALSE	2.00	668,515 kWh	118,523 Cubic meter	0 Litre	289,623	20.74	0.0747
David Suzuki SS	School	45 Daviselm Drive	Brampton	L6X 0Z3	209,724.03 Square Feet		FALSE		1,850,400 kWh	158,393 Cubic meter	0 Litre	480,876	16.85	0.0607
Derry West Village P.S.	School	620 Twain Avenue	Mississauga	L5W 1M1	59,276.85 Square Feet		FALSE	1.00	378,993 kWh	69,167 Cubic meter	0 Litre	167,926	18.79	0.0677
Dixie PS	School	1120 Flagship Drive	Mississauga	L4Y 2K1	40,644.53 Square Feet		FALSE		155,202 kWh	46,645 Cubic meter	0 Litre	103,405	16.02	0.0577
Dolphin Sr PS	School	18 Brookside Drive	Mississauga	L5M 1H3	71,569.24 Square Feet		FALSE	1.00	466,506 kWh	49,117 Cubic meter	0 Litre	138,597	13.81	0.0497
Dorset Drive PS	School	100 Dorset Drive	Brampton	L6T 2Y9	41,068.60 Square Feet		FALSE	3.00	185,641 kWh	22,327 Cubic meter	0 Litre	60,412	10.30	0.0371
Dunrankin Drive PS	School	3700 Dunrankin Drive	Mississauga	L4T 1V9	54,368.51 Square Feet		FALSE		247,747 kWh	85,552 Cubic meter	0 Litre	186,037	21.28	0.0766
Eagle Plains P.S.	School	40 Eagle Planes Drive	Brampton	L6R 2X8	69,052.58 Square Feet		FALSE	9.00	594,718 kWh	70,647 Cubic meter	0 Litre	191,873	19.49	0.0701
Earnscliffe Sr PS	School	50 Earnscliffe Circle	Brampton	L6T 2B2	93,502.85 Square Feet		FALSE	9.00	499,500 kWh	139,009 Cubic meter	0 Litre	311,785	21.14	0.0761
Eastbourne Drive PS	School	702 Balmoral Drive	Brampton	L6T 1X3	43,330.07 Square Feet		FALSE	6.00	252,478 kWh	76,151 Cubic meter	0 Litre	168,725	24.50	0.0882
Edenbrook Hill Public School	School	61 Edenbrook Hill Road	Brampton	L7A 1X6	86,077.85 Square Feet		FALSE	6.00	539,281 kWh	79,960 Cubic meter	0 Litre	204,045	16.14	0.0581
Edenrose PS	School	1342 Edenrose Street	Mississauga	L5V 1K9	83,113.48 Square Feet		FALSE	3.00	560,557 kWh	89,806 Cubic meter	0 Litre	224,746	18.23	0.0656
Edenwood Middle School	School	6770 Edenwood Drive	Mississauga	L5N 3B2	59,567.48 Square Feet		FALSE		441,587 kWh	59,651 Cubic meter	0 Litre	156,071	18.06	0.0650
Ellengale PS	School	3480 Ellengale Drive	Mississauga	L5C 1Z7	28,201.45 Square Feet		FALSE	1.00	143,564 kWh	27,201 Cubic meter	0 Litre	65,501	15.34	0.0552
Ellwood Memorial PS	School	35 Ellwood Drive E.	Bolton	L7E 2A7	50,462.26 Square Feet		FALSE	6.00	337,360 kWh	62,640 Cubic meter	0 Litre	151,504	19.88	0.0716
Elmcrest PS	School	2620 Chalkwell Close	Mississauga	L5J 2B9	36,586.53 Square Feet		FALSE		138,632 kWh	55,129 Cubic meter	0 Litre	117,820	19.80	0.0713
Erin Centre M.S.	School	3240 Erin Centre Blvd.	Mississauga	L5M 7T9	149,878.85 Square Feet		FALSE	2.00	640,429 kWh	42,860 Cubic meter	0 Litre	143,820	7.31	0.0263
Erin Mills Sr PS	School	3546 South Common Cour	Mississauga	L5L 2B1	48,846.63 Square Feet		FALSE		629,329 kWh	87,263 Cubic meter	0 Litre	226,681	31.87	0.1147
Erindale SS	School	2021 Dundas Street W.	Mississauga	L5K 1R2	176,495.84 Square Feet		FALSE		986,018 kWh	258,388 Cubic meter	0 Litre	585,184	21.15	0.0761
Esker Lake PS	School	10420 Heart Lake Road	Brampton	L6Z 4S2	39,084.28 Square Feet		FALSE		285,601 kWh	72,695 Cubic meter	0 Litre	165,439	27.07	0.0975
Fairview PS	School	3590 Joan Drive	Mississauga	L5B 1T8	57,932.94 Square Feet		FALSE	7.00	393,662 kWh	64,341 Cubic meter	0 Litre	160,239	18.60	0.0670
Fairwind Sr PS	School	5235 Fairwind Drive	Mississauga	L5R 3L2	81,217.99 Square Feet		FALSE	2.00	500,042 kWh	66,808 Cubic meter	0 Litre	175,334	14.90	0.0536
Fallingbrook Middle School	School	5187 Fallingbrook Drive	Mississauga	L5V 1N7	20,599.93 Square Feet		FALSE	4.00	571,371 kWh	94,959 Cubic meter	0 Litre	235,550	76.73	0.2762
Fallingdale PS	School	510 Clark Boulevard	Brampton	L6T 2E4	33,490.29 Square Feet		FALSE		298,400 kWh	59,941 Cubic meter	0 Litre	142,581	27.93	0.1006
Fernforest P.S.	School	275 Fernforest Drive	Brampton	L6R 1L9	78,724.52 Square Feet		FALSE	8.00	606,253 kWh	68,076 Cubic meter	0 Litre	188,143	16.89	0.0608
Fletcher's Creek Sr. PS	School	92 Malta Avenue	Brampton	L6Y 4C8	81,217.99 Square Feet		FALSE	5.00	661,501 kWh	65,895 Cubic meter	0 Litre	189,436	16.77	0.0604
Fletcher's Meadow S.S. & Parkholme	School	10750 Chinguacousy Roac	Brampton	L7A 2Z7	210,818.61 Square Feet		FALSE	13.00	2,435,372 kWh	205,149 Cubic meter	0 Litre	626,625	21.89	0.0788
Floradale PS	School	210 Paisley Boulevard We	Mississauga	L5B 2A4	52,834.08 Square Feet		FALSE	1.00	493,117 kWh	59,852 Cubic meter	0 Litre	161,504	21.37	0.0769

Press TAB to move to input areas. Press UP or DOWN ARROW in column A to read through the document.

Energy Consumption and Greenhouse Gas Emissions Reporting - for 2011

Confirm consecutive 12-month period (month-year to month-year) Sept/2011 - Aug/2012

Type of Public Agency (Sector): School Board Please fill in the mandatory fields indicated in red, in addition to submitting data on your energy usage.

Agency Sub-sector: School Board

Organization Name: Peel District School Board

Operation Name and/or Unique Identifier	Operation Type	Address	City	Postal Code	Total Floor Area of the Indoor Space in which Operation is Conducted	Average # Hours Per Week	Swimming Pool (Y/N)	Number of Portables	Energy Type and Amount Purchased and Consumed in Natural Units			Total		
									Electricity	Natural Gas	Fuel Oil 1 & 2	GHG Emissions (Kg)	Energy Intensity (ekWh/sqft)	Energy Intensity (GJ/m2)
Folkstone PS	School	104 Folkstone Crescent	Brampton	L6T 3M5	43,393.61 Square Feet		FALSE	10.00	277,438 kWh	42,613 Cubic meter	0 Litre	107,764	16.83	0.0606
Forest Avenue PS	School	20 Forest Avenue	Mississauga	L5G 1K7	24,692.41 Square Feet		FALSE	1.00	237,847 kWh	63,778 Cubic meter	0 Litre	143,899	37.08	0.1335
Forest Glen PS	School	3400 Ponytrail Drive	Mississauga	L4X 1V5	39,604.71 Square Feet		FALSE	5.00	197,898 kWh	47,526 Cubic meter	0 Litre	109,255	17.75	0.0639
Garthwood Park PS	School	3245 Colonial Drive	Mississauga	L5L 5G2	47,006.00 Square Feet		FALSE	0.00	350,710 kWh	43,788 Cubic meter	0 Litre	117,171	17.36	0.0625
Glendale PS	School	35 Sunset Boulevard	Brampton	L6X 1X1	34,229.24 Square Feet		FALSE	0.00	223,626 kWh	79,842 Cubic meter	0 Litre	172,875	31.32	0.1128
Glenforest SS	School	3575 Fieldgate Drive	Mississauga	L4X 2J6	160,099.69 Square Feet		TRUE	10.00	1,877,700 kWh	346,029 Cubic meter	0 Litre	838,301	34.70	0.1249
Glenhaven Sr PS	School	3570 Havenwood Drive	Mississauga	L4X 2M9	55,567.07 Square Feet		FALSE	1.00	300,475 kWh	71,998 Cubic meter	0 Litre	165,581	19.18	0.0690
Goldcrest PS	School	24 Goldcrest Road	Brampton	L6S 1G3	38,841.14 Square Feet		FALSE		382,682 kWh	42,851 Cubic meter	0 Litre	118,533	21.58	0.0777
Gordon Graydon Memorial SS	School	1490 Ogden Avenue	Mississauga	L5E 2H8	166,615.62 Square Feet		FALSE	6.00	2,134,323 kWh	291,869 Cubic meter	0 Litre	761,064	31.43	0.1131
Gordon Graydon Sr PS	School	170 Rutherford Road	Brampton	L6V 2X9	65,261.59 Square Feet		FALSE		640,101 kWh	117,844 Cubic meter	0 Litre	285,554	29.00	0.1044
Great Lakes P.S.	School	285 Great Lakes Drive	Brampton	L6R 2R8	90,403.37 Square Feet		FALSE	5.00	671,200 kWh	104,663 Cubic meter	0 Litre	263,684	19.73	0.0710
Green Glade Sr PS	School	1550 Green Glade	Mississauga	L5J 1B5	41,667.10 Square Feet		FALSE		309,616 kWh	44,118 Cubic meter	0 Litre	113,765	18.68	0.0673
Greenbriar Sr PS	School	1140 Central Park Drive	Brampton	L6S 2C9	58,649.31 Square Feet		FALSE	2.00	403,500 kWh	51,752 Cubic meter	0 Litre	137,403	16.26	0.0585
Grenoble PS	School	33 Greenbriar Road	Brampton	L6S 1V8	32,711.52 Square Feet		FALSE		257,760 kWh	63,900 Cubic meter	0 Litre	146,082	28.64	0.1031
GW Finlayson Field Study Centre	School	20917 Mississauga Road	Alton	L7K1N5	3,368.00 Square Feet		FALSE		84,077 kWh	0 Cubic meter	0 Litre	8,243	24.96	0.0899
H.J.A. Brown Education Centre	Administrative office	5650 Hurontario Street	Mississauga	L5R 1C6	163,127.06 Square Feet		FALSE		3,001,280 kWh	238,803 Cubic meter	0 Litre	745,732	33.96	0.1222
Hanover PS	School	215 Hanover Road	Brampton	L6S 1B6	34,258.29 Square Feet		FALSE	2.00	308,400 kWh	45,771 Cubic meter	0 Litre	116,772	23.20	0.0835
Harold F Loughin PS	School	39 Herkley Drive	Brampton	L6V 2E5	35,015.52 Square Feet		FALSE	3.00	340,485 kWh	53,663 Cubic meter	0 Litre	134,838	26.01	0.0936
Harold M. Brathwaite SS	School	415 Great Lakes Drive	Brampton	L6R 2Z4	193,029.74 Square Feet		FALSE	3.00	2,104,365 kWh	178,240 Cubic meter	0 Litre	543,296	20.72	0.0746
Hawthorn PS	School	2473 Rosemary Drive	Mississauga	L5C 1X1	19,300.21 Square Feet		FALSE	4.00	174,643 kWh	32,663 Cubic meter	0 Litre	78,876	27.03	0.0973
Hazel McCallion Sr PS	School	5750 River Grove Avenue	Mississauga	L5M 4R5	82,753.99 Square Feet		FALSE	6.00	652,541 kWh	97,646 Cubic meter	0 Litre	248,587	20.43	0.0735
Heart Lake SS	School	296 Conestoga Drive	Brampton	L6Z 3M1	168,374.42 Square Feet		FALSE	10.00	1,590,556 kWh	242,276 Cubic meter	0 Litre	613,992	24.74	0.0891
Helen Wilson PS	School	9 Abbey Road	Brampton	L6W 2T7	31,279.92 Square Feet		FALSE		156,864 kWh	87,109 Cubic meter	0 Litre	180,070	34.61	0.1246
Herb Campbell PS	School	3749 King Street	Caledon	L7C 0T6	58,789.76 Square Feet		FALSE	5.00	470,343 kWh	86,912 Cubic meter	0 Litre	210,430	23.71	0.0854
Hewson P.S.	School	235 Father Tobin Rd.	Brampton	L6R 0G2	60,880.68 Square Feet		FALSE	3.00	519,841 kWh	48,528 Cubic meter	0 Litre	142,714	17.01	0.0612
Hickory Wood PS	School	630 Ray Lawson Boulevard	Brampton	L6Y 4W8	69,524.10 Square Feet		FALSE		516,898 kWh	88,770 Cubic meter	0 Litre	218,508	21.00	0.0756
Hillcrest PS	School	1530 Springwell Avenue	Mississauga	L5J 3H6	48,427.36 Square Feet		FALSE	1.00	184,374 kWh	71,435 Cubic meter	0 Litre	153,132	19.48	0.0701
Hilldale PS	School	100 Hilldale Crescent	Brampton	L6S 2N3	26,177.83 Square Feet		FALSE	5.00	221,120 kWh	43,251 Cubic meter	0 Litre	103,450	26.01	0.0936
Hillside Sr PS	School	1290 Kelly Road	Mississauga	L5J 3V1	74,767.17 Square Feet		FALSE	1.00	373,399 kWh	55,586 Cubic meter	0 Litre	141,701	12.90	0.0464
Homelands Sr PS	School	2420 Homelands Drive	Mississauga	L5K 1H2	55,552.54 Square Feet		FALSE		294,539 kWh	87,655 Cubic meter	0 Litre	194,600	22.07	0.0795
Homestead P.S.	School	99 Fletcher's Creek Blvd.	Brampton	L6X 4T7	110,289.64 Square Feet		FALSE	0.00	602,981 kWh	105,609 Cubic meter	0 Litre	258,783	15.64	0.0563
Huntington Ridge PS	School	345 Huntington Ridge Drive	Mississauga	L5R 1R6	54,820.60 Square Feet		FALSE	3.00	314,234 kWh	52,852 Cubic meter	0 Litre	130,732	15.98	0.0575
Huttonville PS	Multi-use	2322 Embleton Rd.	Huttonville	L6C 0C9	45,883.83 Square Feet		FALSE	10.00	407,403 kWh	89,871 Cubic meter	0 Litre	209,855	29.70	0.1069
Jack Smythe Field Study Centre	School	14592 Winston Churchill B	Terra Cotta	L0P 1N0	6,212.00 Square Feet		FALSE	1.00	102,838 kWh	0 Cubic meter	0 Litre	10,082	16.55	0.0596
James Bolton PS	School	225 Kingsview Drive	Bolton	L7E 3X8	56,985.19 Square Feet		FALSE		456,534 kWh	39,559 Cubic meter	0 Litre	119,550	15.39	0.0554
James Grieve PS	School	12175 Bramalea Road	Caledon	L7C 2P9	73,744.90 Square Feet		FALSE		492,031 kWh	34,948 Cubic meter	0 Litre	114,312	11.71	0.0422
James Potter P.S.	School	9775 Creditview Road	Brampton	L6X 0H7	55,121.99 Square Feet		FALSE	7.00	572,702 kWh	59,652 Cubic meter	0 Litre	168,927	21.89	0.0788
Janet I. McDougald PS	School	498 Hartsdale Avenue	Mississauga	L5G 2G6	52,813.00 Square Feet		FALSE	10.00	272,053 kWh	30,766 Cubic meter	0 Litre	84,840	11.34	0.0408
Jefferson PS	School	48 Jefferson Road	Brampton	L6S 2N9	39,514.32 Square Feet		FALSE		277,798 kWh	82,580 Cubic meter	0 Litre	183,363	29.24	0.1053
John Fraser SS	School	2665 Erin Centre Boulevard	Mississauga	L5M 5H6	186,628.44 Square Feet		FALSE	1.00	1,682,455 kWh	230,142 Cubic meter	0 Litre	600,061	22.12	0.0796
Judith Nyman S.S.	Multi-use	1305 Williams Parkway	Brampton	L6S3J8	149,547.82 Square Feet		FALSE	11.00	1,547,794 kWh	335,809 Cubic meter	0 Litre	786,636	34.21	0.1232
Kenollie PS	School	1376 Glenwood Drive	Mississauga	L5G 2X1	30,042.07 Square Feet		FALSE		101,496 kWh	25,773 Cubic meter	0 Litre	58,678	12.50	0.0450
Kindree P.S.	School	7370 Terragar Blvd.	Mississauga	L5N 7L8	58,463.61 Square Feet		FALSE		410,950 kWh	95,928 Cubic meter	0 Litre	221,654	24.47	0.0881
Kings Masting PS	School	3351 King's Masting Cresc	Mississauga	L5L 1G5	31,000.06 Square Feet		FALSE		335,483 kWh	51,794 Cubic meter	0 Litre	130,814	28.58	0.1029

Press TAB to move to input areas. Press UP or DOWN ARROW in column A to read through the document.

Energy Consumption and Greenhouse Gas Emissions Reporting - for 2011

Confirm consecutive 12-month period (month-year to month-year) Sept/2011 - Aug/2012

Type of Public Agency (Sector): School Board
 Agency Sub-sector: School Board
 Organization Name: Peel District School Board
 Please fill in the mandatory fields indicated in red, in addition to submitting data on your energy usage.

Operation Name and/or Unique Identifier	Operation Type	Address	City	Postal Code	Total Floor Area of the Indoor Space in which Operation is Conducted	Average # Hours Per Week	Swimming Pool (Y/N)	Number of Portables	Energy Type and Amount Purchased and Consumed in Natural Units			Total		
									Electricity	Natural Gas	Fuel Oil 1 & 2	GHG Emissions (Kg)	Energy Intensity (ekWh/sqft)	Energy Intensity (GJ/m2)
Kingswood Drive PS	School	235 Kingswood Drive	Brampton	L6V 3B3	55,590.69 Square Feet		FALSE		317,651 kWh	71,497 Cubic meter	0 Litre	166,317	19.38	0.0698
Lancaster PS	School	7425 Netherwood Road	Mississauga	L4T 2N7	65,283.12 Square Feet		FALSE		423,816 kWh	93,161 Cubic meter	0 Litre	217,683	21.66	0.0780
Larkspur P.S.	School	111 Larkspur Road	Brampton	L6R 1X2	94,356.44 Square Feet		FALSE		593,207 kWh	88,048 Cubic meter	0 Litre	224,624	16.20	0.0583
Levi Creek P.S.	School	1525 Samuelson Circle	Mississauga	L5N 7Z1	53,894.90 Square Feet		FALSE		330,066 kWh	87,216 Cubic meter	0 Litre	197,254	23.32	0.0840
Lincoln M. Alexander SS	School	3545 Morning Star Drive	Mississauga	L4T 1Y3	192,426.44 Square Feet		TRUE	4.00	1,406,801 kWh	346,350 Cubic meter	0 Litre	792,741	26.44	0.0952
Lisgar Middle School	School	6755 Lisgar Drive	Mississauga	L5N 6S9	40,859.80 Square Feet		FALSE		478,023 kWh	83,310 Cubic meter	0 Litre	204,373	33.37	0.1201
Lorne Park Junior	School	1325 Indian Road	Mississauga	L5H 1S3	27,835.47 Square Feet		FALSE		172,680 kWh	29,149 Cubic meter	0 Litre	72,039	17.33	0.0624
Lorne Park SS	School	1324 Lorne Park Road	Mississauga	L5H 3B1	172,943.75 Square Feet		FALSE		810,527 kWh	263,189 Cubic meter	0 Litre	577,056	20.86	0.0751
Lougheed M.S.	School	475 Father Tobin Drive	Brampton	L6R 0J9	74,916.82 Square Feet		FALSE	8.00	756,003 kWh	51,277 Cubic meter	0 Litre	171,065	17.37	0.0625
Louise Arbour Secondary	School	365 Father Tobin Road	Brampton	L6R 0R4	209,497.99 Square Feet		FALSE	7.00	1,881,898 kWh	210,177 Cubic meter	0 Litre	581,868	19.65	0.0707
Macville PS	School	7280 King Street	Bolton	L7C 0S3	38,829.71 Square Feet		FALSE		249,866 kWh	0 Cubic meter	0 Litre	24,497	6.43	0.0232
Madoc Drive PS	School	49 Madoc Drive	Brampton	L6V 2A1	35,862.11 Square Feet		FALSE	2.00	319,645 kWh	40,646 Cubic meter	0 Litre	108,184	20.96	0.0755
Maintenance Services North	Administrative office	24 Holby Avenue	Brampton	L6X 2M1	9,314.00 Square Feet		FALSE		138,098 kWh	30,214 Cubic meter	0 Litre	70,662	49.30	0.1775
Maple Wood PS	School	2650 Gananoque Drive	Mississauga	L5N 2R2	26,978.12 Square Feet		FALSE		248,414 kWh	33,067 Cubic meter	0 Litre	86,872	22.23	0.0800
Marvin Heights PS	School	7455 Redstone Road	Mississauga	L4T 2B3	49,568.85 Square Feet		FALSE	7.00	280,558 kWh	68,335 Cubic meter	0 Litre	156,702	20.31	0.0731
Massey PS	School	95 Massey Street	Brampton	L6S 3A3	45,036.20 Square Feet		FALSE		371,400 kWh	60,323 Cubic meter	0 Litre	150,460	22.48	0.0809
Mayfield SS	School	5000 Mayfield Road	Caledon	L7C 0Z5	237,919.51 Square Feet		FALSE	7.00	1,851,102 kWh	276,531 Cubic meter	0 Litre	704,298	20.13	0.0725
McBride Avenue PS	School	974 McBride Avenue	Mississauga	L5C 1L6	49,532.28 Square Feet		FALSE		0 kWh	69,693 Cubic meter	0 Litre	131,763	14.95	0.0538
McCrimmon Middle School	School	83 McCrimmon Drive	Brampton	L7A 2Z3	94,414.54 Square Feet		FALSE	4.00	730,079 kWh	88,093 Cubic meter	0 Litre	238,127	17.65	0.0635
McHugh PS	School	31 Craig Street	Brampton	L6Y 1J2	32,055.45 Square Feet		FALSE	3.00	178,409 kWh	17,270 Cubic meter	0 Litre	50,142	11.29	0.0406
McKinnon P.S.	School	3270 Tacc Drive	Mississauga	L5M 0H3	57,457.75 Square Feet		FALSE	4.00	531,647 kWh	58,034 Cubic meter	0 Litre	161,843	19.99	0.0720
Meadowvale SS	School	6700 Edenwood Drive	Mississauga	L5N 3B2	175,498.57 Square Feet		FALSE	1.00	1,436,209 kWh	205,030 Cubic meter	0 Litre	528,441	20.60	0.0742
Meadowvale Village P.S.	School	890 Derry Road W.	Mississauga	L5W 1A1	62,053.94 Square Feet		FALSE		426,662 kWh	40,200 Cubic meter	0 Litre	117,833	13.76	0.0495
Middlebury PS	School	5482 Middlebury Drive	Mississauga	L5M 5G7	61,935.54 Square Feet		FALSE		385,964 kWh	71,120 Cubic meter	0 Litre	172,302	18.44	0.0664
Miller's Grove PS	School	6325 Miller's Grove Road	Mississauga	L5N 3K2	33,594.16 Square Feet		FALSE		188,705 kWh	64,023 Cubic meter	0 Litre	139,545	25.87	0.0931
Mineola PS	School	145 Windy Oaks Drive	Mississauga	L5G 1Z4	31,664.71 Square Feet		FALSE	5.00	211,100 kWh	44,329 Cubic meter	0 Litre	104,506	21.55	0.0776
Mineola PS Annex	School	166 Windy Oaks Drive	Mississauga	L5G1Z3	6,189.25 Square Feet		FALSE		72,460 kWh	8,988 Cubic meter	0 Litre	24,098	27.14	0.0977
Mississauga S.S.	School	550 Courtney Park Drive	Mississauga	L5W 1L9	199,670.55 Square Feet		FALSE	8.00	2,230,447 kWh	127,234 Cubic meter	0 Litre	459,225	17.94	0.0646
Morning Star Middle School	School	3131 Morning Star Drive	Mississauga	L4T 1X3	127,498.53 Square Feet		FALSE		800,737 kWh	78,007 Cubic meter	0 Litre	225,986	12.78	0.0460
Morton Way PS	School	200 Morton Way	Brampton	L6Y 2P8	53,141.95 Square Feet		FALSE	3.00	412,869 kWh	80,362 Cubic meter	0 Litre	192,413	23.84	0.0858
Mount Pleasant Village P.S.	Multi-use	100 Commuter Drive	Brampton	L7A 0P7	57,554.63 Square Feet		FALSE		404,639 kWh	81,573 Cubic meter	0 Litre	193,895	22.09	0.0795
Mount Royal PS	School	65 Mount Royal Circle	Brampton	L6P 2K4	81,852.50 Square Feet		FALSE	17.00	752,400 kWh	11,093 Cubic meter	0 Litre	94,738	10.63	0.0383
Mountain Ash Middle School	School	20 Mountainash Road	Brampton	L6R 3G2	65,345.51 Square Feet		FALSE	6.00	409,321 kWh	55,428 Cubic meter	0 Litre	144,924	15.28	0.0550
Munden Park PS	School	515 Tedwyn Drive	Mississauga	L5A 1J8	32,747.58 Square Feet		FALSE	1.00	323,414 kWh	29,549 Cubic meter	0 Litre	87,574	19.47	0.0701
Nahani Way PS	School	235 Nahani Way	Mississauga	L4Z 3J6	64,580.22 Square Feet		FALSE	2.00	411,288 kWh	66,656 Cubic meter	0 Litre	166,343	17.34	0.0624
North Field Office	Administrative office	215 Orenda Road	Brampton	L6T 5L1	27,555.61 Square Feet		FALSE		834,240 kWh	0 Cubic meter	0 Litre	81,789	30.27	0.1090
North Park SS	School	10 North Park Drive	Brampton	L6S 3M1	167,127.37 Square Feet		FALSE	4.00	1,658,288 kWh	260,960 Cubic meter	0 Litre	655,956	26.52	0.0955
Northwood PS	School	70 Gretna Drive	Brampton	L6X 2E9	43,981.86 Square Feet		FALSE	3.00	270,347 kWh	72,176 Cubic meter	0 Litre	162,963	23.59	0.0849
Oakridge PS	School	2060 Stonehouse Crescen	Mississauga	L5H 3J1	26,006.13 Square Feet		FALSE	4.00	155,855 kWh	51,846 Cubic meter	0 Litre	113,302	27.18	0.0979
Oscar Peterson P.S.	School	5120 Perennial Drive	Mississauga	L5M 7T6	69,405.69 Square Feet		FALSE	7.00	605,859 kWh	50,531 Cubic meter	0 Litre	154,934	16.47	0.0593
Osprey Woods P.S.	School	6135 Lisgar Drive	Mississauga	L5N 7V2	55,918.51 Square Feet		FALSE		327,912 kWh	36,324 Cubic meter	0 Litre	100,824	12.77	0.0460
Owenwood PS	School	930 Owenwood Drive	Mississauga	L5H 3J2	17,118.38 Square Feet		FALSE	1.00	82,927 kWh	47,511 Cubic meter	0 Litre	97,955	34.34	0.1236
Palgrave PS (replacement for PTR)	School	8962 Patterson Sideroad	Palgrave	L7E 0L2	61,946.30 Square Feet		FALSE		481,875 kWh	41,119 Cubic meter	0 Litre	124,983	14.83	0.0534
Parkway PS	School	24 Duncan Bull Drive	Brampton	L6W 1H4	45,528.62 Square Feet		FALSE		228,311 kWh	62,684 Cubic meter	0 Litre	140,895	19.65	0.0707

Press TAB to move to input areas. Press UP or DOWN ARROW in column A to read through the document.

Energy Consumption and Greenhouse Gas Emissions Reporting - for 2011

Confirm consecutive 12-month period (month-year to month-year) Sept/2011 - Aug/2012

Type of Public Agency (Sector): School Board Please fill in the mandatory fields indicated in red, in addition to submitting data on your energy usage.

Agency Sub-sector: School Board

Organization Name: Peel District School Board

Operation Name and/or Unique Identifier	Operation Type	Address	City	Postal Code	Total Floor Area of the Indoor Space in which Operation is Conducted	Average # Hours Per Week	Swimming Pool (Y/N)	Number of Portables	Energy Type and Amount Purchased and Consumed in Natural Units			Total		
									Electricity	Natural Gas	Fuel Oil 1 & 2	GHG Emissions (Kg)	Energy Intensity (ekWh/sqft)	Energy Intensity (GJ/m2)
Peel Alternative School North	School	315 Bartley Bull Parkway	Brampton	L6W 2L4	36,392.78 Square Feet		FALSE	3.00	165,296 kWh	71,494 Cubic meter	0 Litre	151,374	25.42	0.0915
Peel Alternative School West	School	6975 Meadowvale Town C	Meadowvale	L5N 2W7	1,300.00 Square Feet		FALSE		93,163 kWh	6,195 Cubic meter	0 Litre	20,845	122.31	0.4403
Peel Alternative South	School	1239 Lakeshore Road East	Mississauga	L5E 1G2	56,575.11 Square Feet		FALSE		72,232 kWh	49,205 Cubic meter	0 Litre	100,109	10.52	0.0379
Pheasant Run PS	School	4140 Pheasant Run	Mississauga	L5L 2C1	25,359.77 Square Feet		FALSE		421,574 kWh	19,958 Cubic meter	0 Litre	79,064	24.99	0.0900
Plowman's Park PS	School	5940 Montevideo Road	Mississauga	L5N 3J5	44,136.32 Square Feet		FALSE	5.00	378,321 kWh	49,587 Cubic meter	0 Litre	130,841	20.51	0.0738
Plum Tree Park PS	School	6855 Tenth Line West	Mississauga	L5N 5R2	74,810.22 Square Feet		FALSE		419,104 kWh	90,857 Cubic meter	0 Litre	212,866	18.51	0.0666
Port Credit SS	School	70 Mineola Road East	Mississauga	L5G 2E5	174,935.06 Square Feet		FALSE		988,068 kWh	241,155 Cubic meter	0 Litre	552,804	20.30	0.0731
Queen Elizabeth Sr PS	School	60 South Service Road	Mississauga	L5G 2R9	47,893.45 Square Feet		FALSE	5.00	438,058 kWh	105,377 Cubic meter	0 Litre	242,177	32.53	0.1171
Queen Street PS	School	635 Queen Street	Brampton	L6Y 5L6	63,100.14 Square Feet		FALSE	1.00	419,457 kWh	47,030 Cubic meter	0 Litre	130,040	14.57	0.0524
Queenston Drive PS	School	3520 Queenston Drive	Mississauga	L5C 2G6	50,751.84 Square Feet		FALSE		232,236 kWh	72,967 Cubic meter	0 Litre	160,722	19.86	0.0715
Ray Underhill PS	School	32 Suburban Drive	Mississauga	L5N 1G6	29,264.36 Square Feet		FALSE		153,352 kWh	47,191 Cubic meter	0 Litre	104,256	22.38	0.0806
Red Willow PS	School	Red Willow Drive	Brampton	L6P 2B1	87,102.58 Square Feet		FALSE	3.00	381,599 kWh	58,428 Cubic meter	0 Litre	147,877	11.51	0.0414
Rick Hansen SS	School	1150 Dream Crest Road	Mississauga	L5V 1N6	219,308.72 Square Feet		FALSE	6.00	2,565,385 kWh	200,612 Cubic meter	0 Litre	630,792	21.42	0.0771
Ridgeview PS	School	25 Brenda Avenue	Brampton	L6Y 2A1	66,920.28 Square Feet		FALSE		403,558 kWh	92,841 Cubic meter	0 Litre	215,093	20.77	0.0748
Ridgewood PS	School	7207 Cambrett Drive	Mississauga	L4T 2R3	60,353.25 Square Feet		FALSE		331,249 kWh	67,829 Cubic meter	0 Litre	160,716	17.43	0.0628
Riverside PS	School	30 John Street North	Mississauga	L5H 2E8	41,516.40 Square Feet		FALSE		276,686 kWh	46,769 Cubic meter	0 Litre	115,549	18.64	0.0671
Robert H Lagerquist Sr PS	School	105 Richvale Drive North	Brampton	L6Z 1Y6	66,542.49 Square Feet		FALSE		388,601 kWh	64,266 Cubic meter	0 Litre	159,602	16.10	0.0580
Robert J Lee PS	School	160 Mountainash Road	Brampton	L6R 1J1	80,475.28 Square Feet		FALSE	4.00	637,360 kWh	88,622 Cubic meter	0 Litre	230,039	19.62	0.0706
Roberta Bondar P.S.	School	30 Pantomine Blvd.	Brampton	L6Y 5N2	83,881.48 Square Feet		FALSE	11.00	702,586 kWh	43,681 Cubic meter	0 Litre	151,465	13.91	0.0501
Rowntree PS	School	254 Queen Mary Drive	Brampton	L7A 3L6	79,821.36 Square Feet		FALSE	8.00	507,239 kWh	46,473 Cubic meter	0 Litre	137,592	12.54	0.0452
Royal Orchard M.S.	School	77 Royal Orchard Drive	Brampton	L6X 4M4	66,915.99 Square Feet		FALSE	4.00	585,001 kWh	55,524 Cubic meter	0 Litre	162,328	17.56	0.0632
Russell D Barber PS	School	255 North Park Drive	Brampton	L6S 6A5	63,550.13 Square Feet		FALSE		434,000 kWh	73,258 Cubic meter	0 Litre	181,052	19.08	0.0687
Ruth Thompson Middle School	School	5605 Freshwater Drive	Mississauga	L5M 7M8	68,451.99 Square Feet		FALSE	5.00	891,812 kWh	88,265 Cubic meter	0 Litre	254,310	26.73	0.0962
Sandalwood Heights S.S.	School	2671 Sandalwood Parkway	Brampton	L6R 0K7	201,760.83 Square Feet		FALSE	7.00	2,452,501 kWh	255,023 Cubic meter	0 Litre	722,597	25.59	0.0921
Sawmill Valley PS	School	3625 Sawmill Valley Drive	Mississauga	L5L 2Z5	29,285.88 Square Feet		FALSE		220,370 kWh	30,095 Cubic meter	0 Litre	78,504	18.45	0.0664
Settler's Green PS	School	5800 Montevideo Road	Mississauga	L5N 2S1	51,040.27 Square Feet		FALSE	4.00	400,854 kWh	37,292 Cubic meter	0 Litre	109,805	15.62	0.0562
Shaw P.S.	School	10 Father Tobin Road	Brampton	L6R 3K2	62,053.94 Square Feet		FALSE	7.00	766,079 kWh	75,861 Cubic meter	0 Litre	218,531	25.34	0.0912
Shelter Bay PS	School	6735 Shelter Bay Road	Mississauga	L5N 2C5	44,196.62 Square Feet		FALSE		375,502 kWh	71,114 Cubic meter	0 Litre	171,265	25.60	0.0921
Sheridan Park PS	School	2280 Perran Drive	Mississauga	L5K 1M1	46,898.36 Square Feet		FALSE	1.00	247,002 kWh	99,503 Cubic meter	0 Litre	212,340	27.82	0.1001
Sherwood Mills P.S.	School	1385 Sherwood Mills Blvd.	Mississauga	L5V 2B8	60,038.90 Square Feet		FALSE	6.00	487,387 kWh	88,494 Cubic meter	0 Litre	215,092	23.78	0.0856
Silver Creek PS	School	460 Silver Creek Blvd.	Mississauga	L5A 2B3	27,921.58 Square Feet		FALSE	2.00	425,190 kWh	53,388 Cubic meter	0 Litre	142,623	35.55	0.1280
Silverthorn PS	School	3535 Cedar Creek Drive	Mississauga	L4Y 2Y4	30,494.16 Square Feet		FALSE		152,106 kWh	52,285 Cubic meter	0 Litre	113,765	23.21	0.0836
Sir John A Macdonald Sr PS	School	250 Centre Street North	Brampton	L6V 2R4	52,109.14 Square Feet		FALSE		398,864 kWh	65,407 Cubic meter	0 Litre	162,764	20.99	0.0756
Sir Wilfrid Laurier PS	Multi-use	364 Bartley Bull Parkway	Brampton	L6W 2L8	35,427.79 Square Feet		FALSE	1.00	329,671 kWh	66,926 Cubic meter	0 Litre	158,853	29.38	0.1058
Sir William Gage Middle School	School	625 Queen Street	Brampton	L6Y 5L6	69,642.50 Square Feet		FALSE	7.00	645,198 kWh	82,809 Cubic meter	0 Litre	219,816	21.90	0.0788
Sir Winston Churchill PS	School	89 Ardglen Drive	Brampton	L6W 1V1	56,489.00 Square Feet		FALSE		355,566 kWh	85,219 Cubic meter	0 Litre	195,977	22.33	0.0804
Somers Drive PS	School	50 Somerset Drive	Brampton	L6Z 1C7	55,876.51 Square Feet		FALSE		372,000 kWh	92,523 Cubic meter	0 Litre	211,398	24.26	0.0873
SouthFields Village P.S.	School	110 Learmont Avenue	Caledon	L7C 3R1	76,995.50 Square Feet		FALSE		485,595 kWh	23,815 Cubic meter	0 Litre	92,634	9.59	0.0345
Springdale Elementary PS	School	100 Dewside Drive	Brampton	L6R 3B6	87,511.64 Square Feet		FALSE	4.00	596,161 kWh	58,824 Cubic meter	0 Litre	169,661	13.96	0.0502
Springfield PS	School	3251 The Credit Woodlanc	Mississauga	L5C 2J7	38,908.82 Square Feet		FALSE	5.00	221,692 kWh	72,355 Cubic meter	0 Litre	158,531	25.46	0.0917
Stanley Mills PS	School	286 Sunny Meadow Blvd.	Brampton	L6R 3C3	55,121.99 Square Feet		FALSE		460,080 kWh	56,924 Cubic meter	0 Litre	152,729	19.32	0.0696
Stephen Lewis S.S.	School	3675 Thomas Street	Mississauga	L5M 7E6	187,087.53 Square Feet		FALSE	2.00	2,534,920 kWh	193,625 Cubic meter	0 Litre	614,596	24.55	0.0884
Streetsville SS	School	72 Joymar Drive	Mississauga	L5M 1G3	140,922.16 Square Feet		FALSE	6.00	741,583 kWh	193,021 Cubic meter	0 Litre	437,635	19.82	0.0713
Sunny View M.S.	School	30 Chapparal Drive	Brampton	L6R 3C4	80,314.35 Square Feet		FALSE	8.00	739,439 kWh	68,352 Cubic meter	0 Litre	201,723	18.25	0.0657

Press TAB to move to input areas. Press UP or DOWN ARROW in column A to read through the document.

Energy Consumption and Greenhouse Gas Emissions Reporting - for 2011

Confirm consecutive 12-month period (month-year to month-year) Sept/2011 - Aug/2012

Type of Public Agency (Sector): School Board Please fill in the mandatory fields indicated in red, in addition to submitting data on your energy usage.

Agency Sub-sector: School Board

Organization Name: Peel District School Board

Operation Name and/or Unique Identifier	Operation Type	Address	City	Postal Code	Total Floor Area of the Indoor Space in which Operation is Conducted	Average # Hours Per Week	Swimming Pool (Y/N)	Number of Portables	Energy Type and Amount Purchased and Consumed in Natural Units			Total		
									Electricity	Natural Gas	Fuel Oil 1 & 2	GHG Emissions (Kg)	Energy Intensity (ekWh/sqft)	Energy Intensity (GJ/m2)
T.L. Kennedy SS	School	3100 Hurontario Street	Mississauga	L5B 1N7	198,088.23 Square Feet		FALSE		813,025 kWh	220,947 Cubic meter	0 Litre	497,437	15.96	0.0575
Tecumseh PS	School	1480 Chriseden Drive	Mississauga	L5H 1V4	40,070.80 Square Feet		FALSE	1.00	185,083 kWh	79,190 Cubic meter	0 Litre	167,864	25.62	0.0922
Terry Fox PS	School	95 Richvale Drive North	Brampton	L6Z 1Y6	46,547.96 Square Feet		FALSE	3.00	345,118 kWh	52,811 Cubic meter	0 Litre	133,681	19.47	0.0701
The Humberview SS	School	135 Kingsview Drive	Bolton	L7E 3V8	212,005.98 Square Feet		FALSE	2.00	1,587,114 kWh	141,026 Cubic meter	0 Litre	422,228	14.56	0.0524
The Valleys PS	School	1235 Mississauga Valley B	Mississauga	L5A 3R8	59,718.17 Square Feet		FALSE		584,368 kWh	57,784 Cubic meter	0 Litre	166,540	20.07	0.0722
The Woodlands	Multi-use	3225 Erindale Station Road	Mississauga	L5C 1Y5	204,546.59 Square Feet		FALSE	10.00	2,711,326 kWh	258,658 Cubic meter	0 Litre	754,845	26.69	0.0961
Thomas Street Middle School	School	2640 Thomas Street	Mississauga	L5M 5G8	80,672.79 Square Feet		FALSE	3.00	515,546 kWh	76,575 Cubic meter	0 Litre	195,319	16.48	0.0593
Thorn Lodge PS	School	2730 Thorn Lodge Drive	Mississauga	L5K 1L2	41,968.49 Square Feet		FALSE		244,691 kWh	65,016 Cubic meter	0 Litre	146,911	22.29	0.0803
Thorndale P.S.	School	133 Thorndale Road	Brampton	L6P 1K5	65,338.51 Square Feet		FALSE	9.00	521,280 kWh	39,458 Cubic meter	0 Litre	125,706	14.40	0.0518
Thornwood PS	School	277 Mississauga Valley Blvd	Mississauga	L5A 1Y6	47,221.27 Square Feet		FALSE	1.00	382,664 kWh	39,388 Cubic meter	0 Litre	111,985	16.97	0.0611
Tomken Road Middle School	School	3200 Tomken Road	Mississauga	L4Y 2Y6	96,875.19 Square Feet		FALSE		499,569 kWh	132,952 Cubic meter	0 Litre	300,341	19.74	0.0711
Treeline P.S.	School	145 Treeline Blvd.	Brampton	L6P 1E7	87,145.14 Square Feet		FALSE	3.00	677,699 kWh	75,626 Cubic meter	0 Litre	209,421	17.00	0.0612
Trelawny PS	School	3420 Trelawny Circle	Mississauga	L5N 6N6	56,240.29 Square Feet		FALSE	1.00	278,936 kWh	65,659 Cubic meter	0 Litre	151,483	17.37	0.0625
Turner Fenton SS North	School	7935 Kennedy Road S.	Brampton	L6V 3N2	166,120.49 Square Feet		FALSE		830,671 kWh	144,452 Cubic meter	0 Litre	354,544	14.24	0.0513
Turner Fenton SS South	School	7935 Kennedy Road S.	Brampton	L6V 3N2	130,254.07 Square Feet		FALSE	6.00	1,068,001 kWh	139,110 Cubic meter	0 Litre	367,711	19.55	0.0704
Vista Heights PS	School	89 Vista Boulevard	Mississauga	L5M 1V8	44,001.20 Square Feet		FALSE	2.00	496,742 kWh	114,825 Cubic meter	0 Litre	265,791	39.02	0.1405
W.G. Davis Sr PS	School	491 Bartley Bull Parkway	Brampton	L6W 2M7	58,600.30 Square Feet		FALSE	5.00	410,003 kWh	33,474 Cubic meter	0 Litre	103,483	13.07	0.0470
West Credit SS	School	6325 Montevideo Road	Mississauga	L5N 4G7	156,485.73 Square Feet		FALSE		1,248,551 kWh	230,650 Cubic meter	0 Litre	558,480	23.64	0.0851
West Field Ofc. (old Applewood Acres	Administrative office	3715 Laird Road	Mississauga	L5L 0A3	30,141.60 Square Feet		FALSE		187,710 kWh	57,064 Cubic meter	0 Litre	126,289	26.35	0.0949
Westacres PS	School	2165 Breezy Brae Drive	Mississauga	L4Y 1N3	23,153.17 Square Feet		FALSE		124,640 kWh	41,480 Cubic meter	0 Litre	90,644	24.42	0.0879
Westervelts Corners P.S.	School	20 Brickyard Way	Brampton	L6V 4L5	47,041.50 Square Feet		FALSE	3.00	61,047 kWh	20,692 Cubic meter	0 Litre	45,106	5.97	0.0215
Whitehorn PS	School	5785 Whitehorn Avenue	Mississauga	L5V 2A9	68,592.45 Square Feet		FALSE	3.00	401,788 kWh	64,228 Cubic meter	0 Litre	160,823	15.81	0.0569
Whiteoaks PS	School	1690 Mazo Crescent	Mississauga	L5J 1Y8	40,063.27 Square Feet		FALSE	3.00	227,425 kWh	50,892 Cubic meter	0 Litre	118,514	19.18	0.0690
Williams Parkway Sr PS	School	1285 Williams Parkway	Brampton	L6S 3J8	67,575.83 Square Feet		FALSE		534,000 kWh	92,360 Cubic meter	0 Litre	226,971	22.43	0.0807
Willow Glen PS	School	1301 Epton Crescent	Mississauga	L5J 1R9	36,306.67 Square Feet		FALSE		195,182 kWh	77,214 Cubic meter	0 Litre	165,119	27.98	0.1007
Willow Way PS	School	1715 Willow Way	Mississauga	L5M 3W5	54,029.92 Square Feet		FALSE		298,352 kWh	52,962 Cubic meter	0 Litre	129,382	15.94	0.0574
Worthington PS	School	71 Worthington Avenue	Brampton	L7A 1N9	90,113.79 Square Feet		FALSE	2.00	492,841 kWh	50,754 Cubic meter	0 Litre	144,275	11.45	0.0412